

Queue up for the
BEST PERFORMANCE





Stuart Franklin | Magnum Photos

Do you need to scan a variety of film originals in a high speed workflow?



The Flextight 949 is the ultimate scanner with a productivity that competes with scanners far more expensive and a quality that rivals the best, which has ever been seen from traditional drum scanning.

The success of the Batch Feeder has encouraged us to develop yet another device to help you with bulk scanning. In this case scanning of mounted slides.

Thousands of mounted slides digitized with very little effort and in prepress quality



Bruno Barbey | Magnum Photos

Many companies and institutions are having thousands of mounted slides in stock which it would be very time consuming and costly to digitize. Furthermore the solutions known so far are inadequate regarding the quality.

Imacon has developed this device to ensure that scanning of huge amounts of mounted slides can be done with very little effort and at a quality, which is superior to what have been marketed so far.

Mount 50 slides, in any kind of frame, decide which file size you want and press the scan 3F button. The scanner will scan the 50 mounted slides without any need for further interruption from the operator. The high-resolution files, generated from this process, can be accessed anytime afterwards for preparation to final output like book print. This is done by, opening the files in FlexColor and utilize the many benefits in there or by opening the files in Photoshop and do the final preparation there.



Technical specifications

	Batch Feeder	Mounted Slide Feeder
Scanner footprint with feeder:	36x42 cm	36x42 cm
Weight:	3,1 kg	3,1 kg
Maximum batch:	Up to 60	50
Type of originals:	All transparency formats that Flexholders cover	Any kind of 35 mm mounted slide
Software:	FlexColor 3.2 or later	FlexColor 3.7 or later
Max. resolution:	Up to 8000 ppi	Up to 8000 ppi
Scanning speed:	50 35mm singlefilm (in 5 x 35 mm holders) scanned as 50 Mb 3F format takes app. 60 min	50 slides scanned in 50 Mb 3F format takes app. 65 min
Hardware connectivity:	Flextight 848 and 949	FlexColor 949



imacon

Imacon A/S
Hejrevej 30
DK-2400 Copenhagen NV
Denmark
Tel: +45 70 260 800
Fax: +45 70 260 900

Imacon Inc.
15207 N.E. 95th Street
Redmond, WA 98052-2562
Tel: (425) 861-6434
Fax: (425) 861- 8838
Toll Free: 800 367 6434